


# Xperience

## IP2 ACCESS

complete

- Full-service access control
- Seamless integration
- Versatile mounting
- Indoor & outdoor usage



# IP2 ACCESS complete

**X**perience full-service access control for a.o pedestrian doors and speedgates with the IP2 ACCESS complete. Designed in line with the IP2 series, offering seamless integration with various readers en user interfaces including digital payment modules for access by debit and credit card. The IP2 ACCESS complete has three versatile mounting styles: Full flush, Semi flush, and Wall mount, while the front-facing cabinet ensures seamless and hassle-free maintenance.

## Standard

- IP2 line housing including contour light for Semi flush and Wall mount
- IP2 line housing without contour light for Full flush
- 7" TFT touchscreen
- Front door with cylinder lock
- Aluminium housing with anti corrosion treatment and powder coat finish
- Housing in RAL9004 and RAL9007

## Optional

- Barcode/QR code open air scanner
- Modules for debit and credit card processing
- Multi tech prox card reader
- Pinhole camera with high resolution
- Intercom with VoIP or SIP communication via TCP / IP
- Physical intercom button
- Housing in RAL color of choice

## Dimensions

Semi flush / Wall mount:

- 677 (H) x 345 (W) x 176.5(D) mm
- 26.65 (H) x 13.58 (W) x 6.95 (D) inch

Full flush:

- 650 (H) x 345 (W) x 176.5 (D) mm
- 25.59 (H) x 13.58 (W) x 6.95 (D) inch



Semi flush | Wall mount



Full flush



Power supply  
**110 - 230** VAC






Max. consumption  
**70** VA



Weight  
**~ 13** kg  
**~ 28,66** lb

# IP2 ACCESS complete

## Semi flush | Wall mount



# IP2 ACCESS complete

## Full flush

